

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	6919	(shar\$3 distribut\$3) near5 (configur\$5) with (servic\$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:55
L2	7773	(shar\$3 distribut\$3 (runtime near2 information) (communicat\$3 near2 connection) ((port wire) near3 (information data))) near5 (configur\$5) with (servic\$3 process\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:56
L3	7773	1 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:56
L4	64	l3 same (local\$3 near3 (computer connection resource))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:57
L5	0	4 and (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:57
L6	0	4 and (plural\$3 several multipl\$5 many) near3 (API (application adj programming adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:58
L7	44	4 and (permission lock\$3 permit\$3 grant\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:58
L8	42	7 and ((shar\$3 distribut\$3) near5 (configur\$5) with (servic\$3 process\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:59

## EAST Search History

L9	0	8 and (((allocat\$3 distribut\$3 assign\$5) near3 (memory region portion block segment)) same ((configur\$5 runtime communication connection) near3 (information data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 18:59
L10	33	8 and ((reciev\$3 send\$3 sent stor\$3 copy\$3 copied) near5 ((configur\$5 runtime communication connection)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:00
L11	13	10 and (((revis\$3 updat\$3) near3 (data information)) with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:01
L12	13	11 and (((revis\$3 updat\$3) near3 (data information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:02
L13	0	12 and (((most adj recent) (up adj to adj date) latest) near3 (data information configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:03
L14	0	12 and ((chang\$3 modif\$5 redirect\$3) near3 pointer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:04
L15	12	12 and ((sufficient\$3 enough available) near5 (space capacity memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:05
L16	12	15 and (stor\$3 near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:06

## EAST Search History

L17	0	16 and (((allocat\$3 distribut\$3 assign\$5) near3 (memory region portion block segment)) same ((configur\$5 runtime communication connection) near3 (information data))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:07
L18	0	16 and (((valid\$3 invalid) near3 data) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:08
L19	0	16 and (((valid\$3 invalid true right) near5 (data value)) with (memory region portion sector section block segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:10
L20	12	16 and ((identif\$7 parameter value) near5 configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:12
L21	0	20 and ((stor\$3 writ\$4 copy\$3) near3 (character string value))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:13
L22	0	20 and (((stor\$3 writ\$4 copy\$3) near3 (character string value number)) with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:14
L23	12	20 and (configur\$5 near5 (type port parameter))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:34
L24	0	23 and (((valid\$3 invalid true right) near5 (data value character string)) )	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:18

## EAST Search History

L25	0	23 and ((stor\$3 near3 (string character number value)) with (memory region))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:19
L26	5505	711/147,148,149,150,151,152,153,170.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:35
L27	1390	707/201.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:36
L28	946	714/15.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:36
L29	7758	26 27 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:36
L30	114	29 and (((stor\$3 writ\$3 send\$3 copy\$3) near5 (configur\$5 near3 (file information)))) same ((process\$3 servic\$3) with memory))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:39
L31	59	30 and ((revis\$3 updat\$5 review\$3 chang\$5 modif\$5) with configur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:41
L32	0	31 and (((copy\$3 stor\$3 writ\$3 send\$3) with configur\$5) same (("not" adj (revis\$3 review\$3 updat\$5 modif\$5)) unrevis\$3 unreview\$5 unmodif\$5 unupdat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:46

## EAST Search History

L33	0	31 and (((copy\$3 stor\$3 writ\$3 send\$3) with configur\$5) same ("not" near3 (revis\$3 review\$3 updat\$5 modif\$5)) unrevis\$3 unreview\$5 unmodif\$5 unupdat\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:47
L34	59	31 and (((copy\$3 stor\$3 writ\$3 send\$3) with configur\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:47
L35	1	34 and (("not" near3 (revis\$3 review\$3 updat\$5 modif\$5)) unrevis\$3 unreview\$5 unmodif\$5 unupdat\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/04 19:48